

### Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption




Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform




Global Coverage & Support Services

Professional support and post-sales services for worldwide customers









### Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A10, A20 and A30 for huddle, small and medium spaces, but also provides the MVC940 and MVC960 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

### Microsoft Teams Rooms on Android



#### MeetingBar A10 for standard small rooms

All-in-one MeetingBar designed for small spaces

20° field of view, 4K camera, Al-powered video features

(1)) Full-duplex audio and Al-enhanced Noise Cancellation

Support plug-and-share wireless presentation with WPP30

Quick setup and easy to manage



#### MeetingBar A20 for premium small rooms

All-in-one MeetingBar for smart Teams collaboration

20° field of view, 20MP, Al-powered camera

(1)) Full-duplex audio, Noise Cancellation and Acoustic Shield

Full-duplex audio, Noise Cancellation and Acoustic Shield

Quick setup and easy to manage



### MeetingBar A30 for medium rooms

All-in-one MeetingBar with smart Al features

O Dual-camera system for large views

(1) HD full-duplex audio and great pickup range

Support plug-and-share wireless presentation with WPP30

Plug-and-play setup and easy management

### Microsoft Teams Video Phone



## VP59 Teams Video Phone for executive desk and huddle rooms

Start Teams meeting easily with standalone Teams video phone

Compatible with superb audio & video devices

Quick setup within 4 steps of cable connection

### **Specifications**

#### MeetingBar A10

MeetingBar A10 Package

- · MeetingBar A10
- · 3 m Ethernet cable
- · 1.8 m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

#### Camera

- · 4K Camera
- · 120° FoV
- · 4x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

#### Audio

- · Built-in microphone array
- · Built-in high fidelity speaker
- · Al Noise Cancellation Algorithm
- · Full-duplex
- · Echo cancellation

#### Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration - Content sharing
- · Meeting control:
- Add participates - Hold/Resume
- Camera On/Off

#### - Mute/Unmute

- Volume Up/Down
- Hang

#### MeetingBar A20

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable \*2
- · Mounting Bracket and Accessories
- · Power adapter
- Quick Start Guide

#### Camera

- · 20MP Camera
- · 120° field of view
- · 8x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking
- Multi-focus Framing
- Picture-in-picture

- · Built-in 8 MEMS microphone array
- · Extended mic for small-to-medium rooms
- · Built-in 5W high fidelity speaker
- · Al Noise Cancellation Technology
- · Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation
- · Acoustic shield
- · Video fence

#### Meeting Features

- · Calendar
- · One-click join · Proximity join
- PSTN dial-in
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

### MeetingBar A30

A30 -Teams Package

- · MeetingBar A30 · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

**Dual Camera System** Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera

Telephoto Camera:

- · 8MP Camera
- · Field of view: 90°
- · 10x Hvbrid Zoom (3.5x optical, 3x digital)
- · Horizontal Rotation
- Angle: +25°/-25°
- · Vertically Rotation Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features
- Auto Framing
- Speaker Tracking

#### Audio

- · Built-in 8 MEMS
- microphone array · Support extention mic
- · Two Built-in 5W high fidelity speakers
- · Yealink Noise Proof
- Technology · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation
- · Acoustic shield · Video fence

- Meeting Features · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume - Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up - Microsoft DM
- Proximity join

- · 8 inch (1280 x 800) capacitive
- Yealink Noise Proof technology · HDMI for connection to monitor
- · Full-duplex hands-free
- · Microsoft Teams-tailored user interface
- Unify Square device management platform
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

#### **VP59 Teams Edition**

- adjustable touch screen · Optimal HD audio, support
- or TV Based on Android 9.0

### Microsoft Teams Rooms System on Windows

#### **Complete Bundle Solution**

The Yealink MVC series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to Use
- · One-touch to join



Wireless Content Sharing
One tap to share content

wirelessly with WPP20



Simplified Cabling System

- · Shorten deployment time
- · For all MVC room systems

#### Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)



#### UVC30

4K camera, 120°FoV, Auto Framing



#### MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

#### **UVC40 All-in-One USB Video Bar** Al features: Auto Framing & Speaker Tracking 20MP, 120° FoV

noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for medium rooms (7-11 users)

#### UVC84

4K camera, 12x optical zoom, Auto Framing



#### MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless for medium rooms (7-11 users)



#### UVC84

4K camera, 12x optical zoom, Auto Framing



#### VCM36

360° 20 feet voice pickup range, flexibility in placement without any wiring troubles.





MVC840

for medium and large rooms (12-18 users)



#### UVC84

4K camera, 12x optical zoom, Auto Framing



#### VCM34

360° 20 feet voice pickup range, cascade connection for up to 6 units





MVC940

for extra-large rooms (>18 users)



#### UVC84

4K camera, 12x optical zoom, multi-camera solution with AVHub (up to 9 cameras)



#### Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II





MVC660 for medium rooms (7-11 users)

#### UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



#### **MSpeech**

HD voice, full-duplex, 10ft/6 meter pickup range





MVC860 for medium and large rooms (12-18 users)



#### UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



#### Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II





MVC960 for extra-large rooms (>18 users)




#### UVC86

Dual-eye 4K intelligent tracking camera,12x optical zoom, Auto Framing,
SpeakerTracking and Presenter Tracking, Solution with AVHub (up to 9 cameras)





Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



#### Yealink MVC Series Teams Room System Specification Module MVC960 MVC940 MVC860 MVC840 Target Room Size Extra large rooms Extra large rooms Large rooms Large rooms Mini-PC Yealink MCore Pro Touch Console & Sharing Device Yealink MTouch II AVHub 2x Yealink UVC86 AVHub 2x Yealink UVC84 Yealink UVC86 Dual-Eye Yealink UVC84 4K 12X USB Camera Dual-Eye Intelligent Camera 4k 12X optical PTZ camera optical PTZ camera Intelligent Camera Components 2x VCM34 array mics + Yealink soundbar 3x VCM34 array mics + 2x Yealink soundbar VCM34 array mic/CPW90 Audio wireless mic/VCM38 ceiling Flexible options Flexible options mic + Yealink soundbar Wireless Presentation 2x WPP20 2x WPP20 WPP20 (Optional) Optional Optional Optional MVC-BYOD-Extended Optional 11th-gen Intel i5 quad-core chipset Memory 8GB (2\*4GB) Storage 128GB SSD Video Output 3x HDMI, CEC supported MCore Pro LISB 4x USB3.0 Wi-Fi Bluetooth Yealink VCH Port Cable Management Screen Size 8 inches IPS screen Screen Resolution 1280 x 800 Bracket Adjustable 28° ~ 50° Human Motion Sensor 3.5mm Audio Port MTouch II USB-A Port 1x USB-A Port, connect to USB audio device if necessary Content Sharing Resolution / Frame Rate 1080P / 30FPS Video Input interface for Content Sharing HDMI & USB-C Built-in Wi-Fi AP for Content Sharing Wireless Content Sharing Work with Yealink WPP20 wireless presentation pod **UVC** Protocol UVC 1.0 UVC 1.0 UVC 1.0 UVC 1.0 Zoom 12X optical 12X optical 20XHDzoom(12Xoptical, 1.7X digital) 12X optical Resolution / Frame Rate 4K / 30FPS 4K / 30FPS 4K / 30FPS 4K / 30FPS Field of View (diagonal) 90° 809 80° Pan/Tilt range 200°/130° 200°/130° 200°/130° 200°/130° Camera Auto Framing Features Speaker Tracking Presenter Tracking 1x VCH port (RJ45) for mic 1x VCH port (RJ45) for mic 1x Yealink VCH port (RJ45) + 1x VCH port (RJ45) for mic and and speaker 1x Line-in port and speaker 1x Line-out port 1x Line-in port speaker 1x Line-out port Audio Ports for audio reference AC 100~240V Input and AC 100~240V Input and AC 100~240V Input and AC 100~240V Input and Power Adapter DC 48V/0.7A Output DC 48V/0.7A Output DC 48V/0.7A Output DC 48V/0.7A Output Support camera layout including Support camera layout including Camera Lavout full screen, surrond, division full screen, surrond, division Maximum number of cameras Up to 9 Up to 9 NA NA AVHub 7x VCH port (RJ45) for mic, speaker 7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in or camera 1x RCA-in port, Audio Ports 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port Port, 1x 6.3mm Line-out port 100 Hz - 20K Hz 100 Hz - 20K Hz Frequent Response 100 Hz - 20K Hz 100 Hz - 20K Hz 10W 10W RMS 10W 10W Speaker 1.00% 1.00% THD 1.00% 1.00% Up to 4 Up to 4 Maximum Speakers Up to 4 Up to 4 Support VCM34 tabletop or Support VCM34 tabletop or 2~6 VCM34 array mics 2~3 VCM34 array mics VCM38 ceiling mics VCM38 ceiling mics Audio Built-in 3-mic array for VCM34 Built-in 3-mic array for VCM34 2~8 VCM38 ceiling mics Built-in 3-mic array Features Built-in 8-mic array for VCM38 Built-in 8-mic array for VCM38 Microphone 360° voice pickup 360° voice pickup 2~4 CPW90 wireless mics 20ft (6-meter) voice pickup range Cascade connection up to 6 units Cascade connection up to 6 units NA Cascade connection up to 6 units for VCM34 Cascade connection for VCM34 Cascade connection up to 8 units for VCM38 up to 8 units for VCM38 Compatible with 3rd party DSP System including Shure, Biamp, etc Compatible with 3rd party DSP Compatible with 3rd party DSP 3rd Party DSP System Compatibility System including Shure, Biamp, etc System including Shure, Biamp, etc Operating System Windows 10 IoT Enterprise OS & License Microsoft Teams Rooms App Preload Yealink RoomConnect Device Management Agent Windows Update Yealink Device Management Device Platform/Cloud Service Management Microsoft SCCM Microsoft Intune

Module			MVC660	MVC640-Wireless	MVC640	MVC400	MVC320	
							0020	
				(T)			FO FOR	
						(3)	u l	
	Target Room Si	7e	Medium rooms	Medium rooms	Medium rooms	Small rooms	Focus rooms	
	Mini-PC	20	Wedaniioons	Wicdiaiiiiooiiis	Yealink MCore Pro	Smailtooms	1 0003 100113	
Components			Yealink MTouch II					
	Touch Console & Sharing Device		Yealink UVC86 Dual-Eve	VII-I-I I/O0/ ///10V		Vaslislal NO/O	VI:-I-I IVOZO D	
	USB Camera		Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC40 all-in-one USB video bar	Yealink UVC30 Room 4K camera	
	Audio		Yealink MSpeech tabletop	1xVCM36 wireless mic +	Yealink MSpeech	all ill one copylaco bai	Yealink MSpeech tableto	
			speakerphone	Yealink soundbar	tabletop speakerphone		speakerphone	
	Wireless Presentation		WPP20 (Optional)	WPP20 (Optional)	Optional	Optional	Optional	
	MVC-BYOD-Extender		NA	Optional	NA	Optional	NA	
	CPU CPU		101		-gen Intel i5 quad-core chip			
	Memory		8GB (2*4GB)					
	Storage		128GB SSD					
	Video Output		3x HDMI, CEC supported					
MCore Pro	USB		4x USB3.0					
	Wi-Fi		$\checkmark$					
	Bluetooth				$\checkmark$			
	Yealink VCH Port		$\checkmark$					
	Cable Management		· √					
	Screen Size		8 inches IPS screen					
	Screen Resolution		1280 x 800					
	Bracket	1011	Adjustable 28° ~ 50°					
		Concor	Adjustable 20 ™ 30					
	Human Motion Sensor							
MTouch II	3.5mm Audio Port		√					
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary					
	Content Sharing Resolution / Frame Rate							
	Video Input interface for Content Sharing		HDMI & USB-C					
	Built-in Wi-Fi AP for Content Sharing		$\checkmark$					
	Wireless Conte	nt Sharing		Work with Ye	ealink WPP20 wireless prese	entation pod		
	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	
	_		20X HD zoom	36X HD zoom	12X optical	8X digital	3X digital	
	Zoom		(12X optical, 1.7 digital)	(12X optical, 3X digital)				
	Resolution / Fra	ime Rate	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	
	Field of View(dia	agonal)	90°	80°	80°	133°	120°	
0	Pan/Tilt range		200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ	
Camera	Auto Framing		√	√	√	√	√ √	
Features	Auto Framing Speaker Tracking		· √	×	×	· √	×	
	Presenter Track	•	√ √	×	×	×	×	
	Presenter maci	Kiriy						
	Audio Ports		1x Yealink VCH port (RJ45) + 1x Line-in port	1x Yealink VCH port (RJ45) + 1x Line-out port	and speaker 1x Line-out port	1x VCH port (RJ45) for mic 1x Line-in port	NA	
			AC 100~240V Input and	AC 100~240V Input and	AC 100~240V Input and	AC 100~240V Input and		
	Power Adapter		DC 48V/0.7A Output	DC 48V/0.7A Output	DC 48V/0.7A Output	DC 48V/0.7A Output	NA	
	Camera Layout		DO 40 VIO.ITA Output	DO 40 VIO.IT Catput	DO 40 V/0./A Odipat	DO 401/0./A Output		
AVHub	Maximum numb		NA	NA	NA	NIA	NA	
		DEI OI CAITIELAS				NA	IVA	
	Audio Ports	Francis I Dec	10011- 00111	10011 00111	10011 007711	10011 00111	11511 1017	
	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	115 Hz -16 KHz	
		RMS	3W	10W	10W	3W	4W	
		THD	1.00%	1.00%	1.00%	1.00%	1.00%	
		Maximum Speakers	NA	Up to 4	NA	NA	NA	
			1x MSpeech Speakerphone	1xVCM36 wireless mic	1x MSpeech Speakerphone	Built-in microphone	1x MSpeech Speakerphor	
			Built-in 10-mic array	Built-in 3-mic array	Built-in 3-mic array	8 MEMS mic array	Built-in 10-mic array	
Audio			00# (0+)			B fr fr.		
Features	Microphone		20ft (6-meter) voice pickup range	20ft (6-meter ) voice pickup range	20ft (6-meter) voice pickup range	Beamforming microphone technology	20ft (6-meter) voice pickup range	
	·		pickup rai ige	pickapiange	pickup rai ige	ioroprioric teeririology	pickup rai ige	
			NA	NA	NA	NIA	NIA	
						NA	NA	
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	NA	NA	
	Operating System		Windows 10 IoT Enterprise OS & License					
Preload								
	Microsoft Teams Rooms App		√					
	Yealink RoomConnect Device Management Agent		$\checkmark$					
	Device Management Agent Windows Undate							
Device Management	Windows Update		√					
	Yealink Device Management Platform/Cloud Service		$\checkmark$					
	Microsoft SCCM		$\checkmark$					
	Microsoft SCCM Microsoft Intune		V √					



### Collaborative, Innovative, Effective

Microsoft Teams Rooms on Android

### MeetingBoard

An innovative collaboration display for creative teamwork

- · All-in-one design that fits all meeting rooms
- · Smart collaboration whiteboard
- $\cdot$  Premium and intelligent video experience
- · Premium full-duplex audio experience





### **DeskVision A24**

A desktop collaboration display for your instant workspace

- · UC Workstation Mode & Teams Mode
- · High quality microphone and stereo speakers
- · Full-HD video call
- · Qi wireless charger for mobile phone





### MeetingBoard Specifications

#### Module




OS	OS	Android 10		
Chipset	SoC	QUALCOMM SNAPDRAGON 845		
	Size	65/85 inch		
	Backlight type	D-LED		
Display	Resolution	3840 x 2160		
	Ratio	16:9		
	Anti-Fingerprint	$\checkmark$		
	Anti-Glare	√		
	Resolution	3840*2160		
	Lens	8MP		
Built-in Camera	Field of view	120° diagonal field of view		
	Zoom	e-PTZ		
		4 x digital zoom		
	Privacy shutter	Automatic Hiding Shutter		
	Microphone	Built-in 16 MEMS beamforming microphones		
	Speaker	4 full range+2 tweeter stereo speakers		
audio	RCA input/output	$\sqrt{}$		
	Acoustic echo cancellation	$\sqrt{}$		
	Reverberation suppression	$\checkmark$		
	Beamforming technology	$\sqrt{}$		
	LED lightstrips	$\checkmark$		
Buttons	Home button	$\sqrt{}$		
	Input source button	V		
	Volume up/down button	$\checkmark$		
	HDMI	1× HDMI output		
		1 × HDMI input		
	CEC	$\checkmark$		
	PTZ camera port	$\checkmark$		
	VCH	1 × Yealink VCH port (RJ-45)		
	USB	3×USB Type A		
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port		
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band		
	Bluetooth	Built-in Bluetooth 5.0		
	Security lock slot	$\checkmark$		
	Windows OPS slot	$\checkmark$		
	Reset slot	√		
	Motion sensor	√		

### DeskVision A24 Specifications

#### Module



	Dimensions	23.8 inch			
	Resolution	1920 x 1080			
	Refresh Rate	60Hz			
Screen Specifications	Color Depth	8 bit			
	Contrast Ratio	1000:1			
	Viewing angle	Horizontal: 178°			
		Pitch: 178°			
	Multi-touch	10 points			
	Camera FOV	90°			
Camera Specifications	Video Specifications	Up to 1080p30 Video Call			
amera opcomoations	Privacy protection	Automatically lifted or manually controlled lift			
	Microphone Type	Built-in microphone array			
audio Specifications	Intelligent noise cancellation technology	$\checkmark$			
	Speaker	Built-in Stereo Speaker			
Control Control	Dual Mode	Built-in Android + Monitor Mode			
Application Mode	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2			
	HDMI in	1			
		1x USB-C 3.0 upstream,DP-IN, provide PD up to 45w			
application Mode	USB-C	1x USB-C 3.0 downstream interfaces for connecting peripherals,			
		Only supports the use of PCs connected to the USB-C upstream interface			
		2x USB-A 3.0 downstream interfaces for connecting peripherals,			
	USB-A	as extra USB ports for the PC connected			
No voice listarface		1x USB-A 2.0 downstream interface, used to connect to headphones			
Physical interface	Power	DC 19V			
	Wireless Charging	Support wireless charging for mobile phone			
	Button	Power, Volume, Mute, Camera on/off, Switch mode, Teams button			



#### THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

### THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

### THE FIRST

One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

## A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices

Shared devices





















Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise Proof Technology
- · Full-duplex hands-free speakerphone with AEC



- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

#### **Desk Phone**



Yealink MP50 Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking







Teams





USB Hub Bluetooth



Optional





Yealink MP54 Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces



9.0 OS



touch Screen Audio





Button









Yealink MP56 Mid-level Microsoft Teams phone for office workers

HD



9.0 OS



touch Screen



Audio



Button



Bluetooth





Yealink MP58/MP58-WH Premium Microsoft Teams phone for executives and professionals



9.0 OS

7-inch Multi-

touch Screen



Audio



Button









#### **Conference Phone**



Yealink CP965 Best-in-class conference phone for Microsoft Teams



5-inch Multitouch Screen



Built-in







<sup>\*</sup>Some desk phone models are certified by Skype of Business, please contact our sales for details.

Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	√	√	√	√	X
Backlight	√	√	√	√	$\checkmark$
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	√	√	√	√	√
Message Waiting Indicator (MWI)	√	√	√	√	X
Multiple languages	√	√	√	√	√
Dedicated Teams Button	√	√	√	√	X
Wall mount	√	√	√	√	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	√	√	√	√	√
CNG (Comfort noise generator)	√	$\checkmark$	√	√	√
AJB (Adaptive jitter buffer)	√	$\checkmark$	√	√	$\checkmark$
PLC (Packet loss concealment)	√	√	√	√	$\checkmark$
AGC (Automatic gain control)/ NS (Noise Suppression)	$\checkmark$	√	√	√	<b>√</b>
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	X	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	$\sqrt{}$	√	√	X	$\checkmark$
Expansion Module support	EXP50	EXP50	X	X	X
Bluetooth Handset support	√(MP58-WH)	X	X	Х	X
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af), class 3
RJ9 handset port	√	√	√	√	X
RJ9 headset port	√	√	√	√	X
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	X
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	$\checkmark$	$\checkmark$	√	NA	$\checkmark$
Yealink Redirection and Provisioning Service (RPS)	$\checkmark$	√	√	NA	√

## Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{\text{Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.}$  $\sqrt{\text{Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.}$ 





## A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video





















## **USB Peripherals**

#### Headset



UH34 & UH34 Lite Dual/Mono Essential USB Wired Headset



connectivity



integration

performance







**UH36 Dual/Mono** Premium USB Wired Headset

connectivity integration















UH37 Dual/Mono Professional USB Wired Headset

















UH38 Dual/Mono **USB Wired Headset Master** 



Microphones



Busylight







Battery

Call and Music





WH62 & 63 Portable **DECT Wireless Headset** 



Plug-and







Multiple device





WH62 & WH63 Essential DECT Wireless Headset



네비만 Acoustic Optima audio



Four wearing







WH66 & WH67 UCWORKSTOTION Premium DECT Wireless Headset





in one



All control







BH71 Pro

Mono Bluetooth Wireless Headset for Hybrid Worker



4-mic Adjustable beamforming earhook for noise comfortable cancellation wearing



Up to 10-hour talk time of headset



talk time by

charging

case











#### BH71 Workstation UCWOrkstation Mono Bluetooth Wireless Headset for Office Worker



4-mic beamforming cancellation



Adjustable earhook for comfortable wearing



talk time

workstation

wireless

Up to 10-hour All-in-one UC Up to 250ft Connection to Mobile/ range PC/Desk Phone





#### BH71 Workstation Pro UCWOrkstation

Mono Bluetooth Wireless Headset for Executive Hybrid Worker



4-mic beamforming noise cancellation



Adjustable earhook for comfortable wearing



talke time by charging



workstation



Extra 20-hour All-in-one UC Up to 250ft Connection to wireless Mobile/ PC/Desk Phone range





#### **BH72**

Essential Bluetooth Wireless Headset



Retractable Hidden Microphone Noise-Canceling Boom Arm



Dual Microphones



talk time



UP to 35-hour Qi wireless Dual Visible charging



Busylight





#### **BH76**

Premium Bluetooth Wireless Headset



Boom Arm

AptX-HD

Hidden Microphone audio codec cancellation





talk time



charging







#### Speakerphone



Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people



Ease of connection







Low learning cost

Good for huddle rooms





#### **CP900**

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people



audio



connection











#### Camera



#### **UVC20 Personal Desktop Webcam**

Immediate brilliant video experience for personal desktop

Omni-direction Rotatable



-pixel





Mic













#### **UVC30 Desktop**

4K USB Camera with Auto-Framing and Windows Hello Support



Quality



Framing



of View











UVC34

All-in-One USB video bar for small and huddle rooms and work from home scenario















Al Face Wide-angle Electric Remote Device 8 Microphone Array & Framing Enhancement Built-in Speaker Lens Lens Cap Management





#### UVC40

All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms



Framing









Lens Cap Management

Electric











4K PTZ Camera for medium and large room with perfect display





Zoom



Framing



Control









UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms



20X PTZ





Tracking



Tracking



Scalability

Audio Dual-Camera

System

Scalability protection



# Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD.

Email: ucinfo@yealink.com | Web: www.yealink.com